



Single-mode optical module 100Mbps

MTS-SFP-100M-SM/LC - HIRSCHMANN IT 100M SFP Module 100Mbps, Single-mode, 1310nm, 20km, LC, DDMI Request Quote Compare

These auto-negotiating devices accept a 10/100 Mbps electrical input and convert this to a 100 Mbps optical output. This series of media converters use multimode ...

TESTED FOR COMPATIBILITY: Hot-swappable in MSA Compliant routers and switches; DDM support reports the transceiver's status to most SNMP network management tools.

Featuring low power consumption, this industrial optic transceiver provides 100BASE Ethernet connectivity options for Fast Ethernet and Data Centers, suitable for both outdoor and ...

The SFP-FLCS220 is an MSA Compliant Small Form-Factor Pluggable (SFP) module that allows for an electrical interface when using a managed switch, unmanaged switch or media converter.

These auto-negotiating devices accept a 10/100 Mbps electrical input and convert this to a 100 Mbps optical output. This series of media converters use multimode and single-mode optical fiber and one ...

Industrial 100Mbps SFP modules for reliable fiber connectivity. Available in multi-mode and single-mode options for switches, media converters, and industrial Ethernet devices.

The SFP transceiver module supports a maximum distance of up to 10 km (6.2 mi) and delivers dependable 100 Mb Ethernet connectivity over fiber cabling. This SFP fiber module is hot-swappable, ...

A 100M fiber optic transceiver is a hot-pluggable network component that converts electrical signals into optical signals and vice versa, enabling data transmission over fiber optic ...

100M Ethernet and SDH/SONET SFP - SFP modules designed for Fast Ethernet and SDH/SONET applications, supporting speeds from 10 Mbps to 100 Mbps over single-mode fiber.

PLANET's Small Form Factor Pluggable (SFP) transceiver modules are specifically designed for high performance integrated duplex data link over single mode optical fiber.



Single-mode optical module 100Mbps

Web: <https://safireschools.co.za>

